ELSEVIER

Volume 56, Numbers 1–4, 1996

Journal of
Materials
Processing
Technology

Contents

Preface xv

Voltaire as student of fire science, manufacture and man of business 1
W. Johnson (Cambridge, UK)

Recent developments in cutting tool materials 16
B. Mills (Liverpool , UK)

High-speed milling of advanced materials 24
I. Nieminen, J. Paro, V. Kauppinen (Espoo, Finland)

Grinding of aspherical SiC mirrors 37
Z. Zhong (Singapore), T. Nakagawa (Tokyo, Japan)

The dynamic geometry of a twist drill point 45
A.S. Salama (Cairo, Egypt), A.H. ElSawy (Iowa, USA)

Optimization of suface finish in end milling Inconel 718 54
M. Alauddin, M.A. El Baradie, M.S.J. Hashmi (Dublin, Ireland)

The CO_2 laser hardfacing of mold steel 66
H.L. Tsai, H.S. Lin (Taipei, Taiwan)

Research on the accuracy of sheared products by different working principles in precision shearing 70
K. Kondo (Nagoya, Japan), H. Suzuki (Hamamatsu, Japan)

Crystal structure changes in Ni_3Al and its anomalous temperature dependence of strength 78
R. Ramesh (Hengelo, Netherlands, and Limerick, Ireland), B. Pathiraj, B.H. Kolster (Hengelo and Enschede, Netherlands)

The microstructure and mechanical properties of low carbon steel welded components after the application of PWHTs 88
A.G. Olabi, M.S.J. Hashmi (Dublin, Ireland)

Texture control of spherical undoped and Bi-doped zinc oxide powders 98
I. Guy (Toulouse and La Voulte sur Rhône, France), A. Peigney, H. Andrianjatova, A. Rousset (Toulouse, France)

On the transformation characteristics of LA141A (Mg-Li-Al) alloy 108
P. Crawford, R. Barrosa, J. Mendez, J. Foyos, O.S. Es-Said (Loyola Marymount, LA, USA)

Investigation of microstructure of medium carbon steel deformed at strain rates of upto 10^5 per second at -30°C to 235°C 119
M.M. Haque (Bangladesh), M.S.J. Hashmi (Dublin, Ireland)

The effects of pre-immersion in hostile environments on the ESC behaviour of urethane-acrylic polymers 126
J.C. Arnold, J. Li, D.H. Isaac (Swansea, UK)

Liquid phase sintering of metal matrix composites containing solid lubricants 136
J.D. Bolton, A.J. Grant (Bradford, UK)

Identification and characterisation of materials by broadband ultrasonic attenuation analysis 148
J.B. Hull (Bradford, UK), C.M. Langton (Sheffield, UK), S. Barker, A.R. Jones (Bradford, UK)

Automatic surface crack detection on textured materials 158
M. Petrou, J. Kittler, K.Y. Song (Surrey, UK)

Elsevier Science S.A.

Development in medical-grade alumina during the past two decades 168
G. Willmann (Plochingen, Germany)

Surface texture transfer in simulated tandem and temper mill rolling using electrical discharge textured rolls 177
J. Simào, D.K. Aspinwall, M.L.H. Wise, K. Subari (Birmingham, UK)

Bonding of alumina to steel using copper interlayer 190
W. Wlosinski, D. Olesinska, K. Pietrzak (Warsaw, Poland)

Preparation and characterization of ceramic fine powders produced by the emulsion process 200
G.H. Maher, C.E. Hutchins, S.D. Ross (MA, USA)

Material characterisation using optical spectroscopic techniques 211
G.M. O'Connor, C.J. McDonagh, T.J. Glynn, G.P. Morgan (Galway, Ireland)

Combustion processes that synthesize materials 222
A.G. Merzhanov (Moscow, Russia)

Press-formability of stainless steel and aluminum clad sheet 242
T. Mori, S. Kurimoto (Nagoya, Japan)

Consolidation of mechanical alloyed aluminium by double cold-pressing and sintering 254
J.A. Rodríguez, J.M. Gallardo, E.J. Herrera (Seville, Spain)

Recent advances in the manufacture of plastic products by rotomoulding 263
R.J. Crawford (Belfast, Ireland)

Shear controlled orientation technology for the management of reinforcing fibres in moulded and extruded composite materials 272
P.S. Allan, M.J. Bevis, J.R. Gibson, C.J. May, I.E. Pinwill (Uxbridge, UK)

The distribution of fibre lengths in injection moulded polyamide composite components 282
D. O'Regan, M. Akay (Ulster, N. Ireland)

Curing of carbon fibre reinforced epoxy matrix composites 292
M. Buggy, T. Temimhan, O. Braddell (Limerick, Ireland)

The hydrodynamic drawing of wire at elevated temperatures 302
M.T. Hillery (Limerick, Ireland), G.R. Symmons (Sheffield, UK)

An experimental study of the effect of cutting speed on chip breaking 313
R.M.D. Mesquita, F.A.M. Soares, M.J.M. Barata Marques (Lisbon, Portugal)

Evaluation of anti-loosening nuts for screw fasteners 321
N. Sase, S. Koga, K. Nishioka, H. Fujii (Gifu, Japan)

High powder CO_2 and Nd-YAG laser welding of wrought Inconel 718 333
S. Gobbi, Li Zhang (Torino, Italy), J. Norris (Warwickshire, UK), K.H. Richter (München, Germany), J.H. Loreau (Moissy Cramayel, France)

Si_3N_4 and Si_3N_4 -SiC particulate composite ceramics 346
Y.S. Song, D. O'Sullivan, S. Hampshire (Limerick, Ireland)

On-line annealing in cold forging 354
H.-W. Wagener, J. Haats (Kassel, Germany)

The role of refractory element based coatings on the tribological and biological behaviour of orthopaedic implants 364
L.P. Ward, K.N. Strafford, T.P. Wilks, C. Subramanian (Australia)

Observations on the structure, hardness and adhesion properties of a selection of multicomponent refractory element nitride coatings 375
L.P. Ward, K.N. Strafford, C. Subramanian, T.P. Wilks (Australia)

On the design of coating systems: metallurgical and other considerations 385
C. Subramanian, K.N. Strafford, T.P. Wilks, L.P. Ward (Australia)

Some mechnical properties of metal-nonmetal Al – SiO_2 particulate composites 398
H.L. Rizkalla, A. Abdulwahed (Tripoli, Libya)

Metal flow in the deformation gap at primary swaging 404
F. Grosman, A. Piela (Katowice, Poland)

Thermal-diffusion finite element analysis of nitriding process for ARC plasma surface hardening of steel 412
M. Pietrzyk (Krakow, Poland), M. Kryzhanovski, S. Okara, V. Parchomenko (Dnepropetrovsk, Ukraine)

Magnetron sputtering of tin protective coatings for medical application 422
P.V. Kola, S. Daniels, D.C. Cameron, M.S.J. Hashmi (Dublin, Ireland)

Production of free standing objects by high velocity oxy-fuel (HVOF) thermal spraying process 431
M. Helali, M.S.J. Hashmi (Dublin, Ireland)

Experimental investigation on migration of material during EDM of die steel (T215 Cr12) 439
J.S. Soni, G. Chakraverti (Hyderabad, India)

Modelling for the compressive strength of Al-6061/SiC MMCs 452
D. Huda, M.A. El Baradie, M.S.J. Hashmi (Dublin, Ireland)

The evolution of a cantilever sensor to measure normal and frictional forces in the roll gap during cold rolling 463
C. Nyahumwa (Dar es Salaam, Tanzania)

The mechanical properties of recycled PVC bottle compounds 475
J.C. Arnold, B. Maund, D.H. Isaac (Swansea, UK)

Micromechanical modelling of crack initiation in hard two-phase materials 482
A. Gross-Weege, D. Weichert (Lille, France)

The effects of alpha-case formation on the creep fracture properties of the high-temperature titanium allox IMI834 492
R.W. Evans, R.J. Hull, B. Wilshire (Swansea, UK)

The influence of processing on the fatigue and fatigue-creep behaviour of stainless steels 502
W.J. Plumbridge (Milton Keynes, UK)

Studies on crystallization of electroless Ni-P deposits 511
P. Sampath Kumar, P. Kesavan Nair (Madras, India)

60MW high pressure turbine rotor brittle fracture analysis and remanent life investigation 521
R. Sheehan, J.H. Bulloch (Dublin, Ireland)

Laser soldering and inspection of fine pitch electronic components 531
A. Flanagan, A. Conneely, T.J. Glynn, G. Lowe (Galway, Ireland)

The effect of solution treatment and rolling mode on the mechanical properties of 2090 Al-Li alloy 542
D. Pfost, P. Crawford, J. Mendez, R. Barrosa, F. Quintanilla, F. Flores, B. Bojorquez, P. Gealogo, J. Foyos, O.S. Es-Said (Los Angeles, CA, USA)

Stress relief procedures for low carbon steel (1020) welded components 552
A.G. Olabi, M.S.J. Hashmi (Dublin, Ireland)

Development of a force sensing drill holder for fine drilling 563
T. Oketani, Y. Mase (Aichi-Ken, Japan) Y. Nishigaki, N. Sase, H. Fujii (Gifu, Japan)

Fabrication and measurements on polymer bonded NdFeB magnets 571
A.Z. Liu, I.Z. Rahman, M.A. Rahman, E.R. Petty (Limerick, Ireland)

The compression mechanism of powders 581
T. Kennedy (Limerick, Ireland), Y. Yaginuma (Miyazaki, Japan), S. Hampshire (Limerick, Ireland)

Thick films of $MgFe_2O_4$ for humidity sensors 589
G. Gusmano, G. Montesperelli (Rome, Italy), B. Morten, M. Prudenziati (Modena, Italy), A. Pumo, E. Traversa (Rome, Italy)

Oxidation studies of a high Al substituted β-SIALON 600
R. Ramesh, P. Byrne, M.J. Pomeroy (Limerick, Ireland)

Fracture in forming 609
A.G. Atkins (Reading. UK)

Elasto plastic formulation using a kinematic hardening model for springback analysis in sheet metal forming 619
F. Morestin, M. Boivin (Lyon, France), C. Silva (Boulogne Billancourt, France)

Automated forging center as renaissance of hammer forging in heavy industry 631
V.L. Kolmogorov, S.P. Burkin, N.A. Babailov (Ekaterinburg, Russia)

A three dimensional finite element thermomechanical analysis of intermittent cutting process 643
A. Abdel-Hamid, A.S. Wifi, M. El Gallab (Cairo, Egypt)

Predicting the thermoelastic response and relevant material properties of SMC 655
J.F. Dwyer (Bozeman, MT, USA), J.M. Dulieu-Smith (Preston, UK), P. Stanley (Manchester, UK)

Theoretical and experimental studies of structural integrity of dovetail joints in aeroengine discs 668
S.A. Meguid, M.H. Refaat, P. Papanikos (Toronto, Ont., Canada)

The influence of lubrication on the surface finish of cold forged components 678
J. Monaghan (Dublin, Ireland), M. O'Reilly (Waterford, Ireland)

A fundamental approach to establishing a rule base for the design of tools for pressworking 691
B. Fogg (Manchester, England)

Generation of uniform expressions from CSG non-unique representations 706
Y.B. Li (Stafford, England), B. Delves, G.N. Blount (Coventry, UK), S.K. Ghosh (Lohmar, Germany), X.C. Wang (Xi'an Jiaotong, People's Republic of China)

The conception of a computer aided decision making system connected with the residual life of the elements of power installations in the conditions of creep 718
L.A. Dobrzanski, J. Dobrzanski, J. Madejski, J. Zaxlona (Poland)

Fatigue strength of bandsaws with hard coatings 729
D.S. Dugdale, M. Sarwar (Sheffield, UK)

Numerical optimisation of the plasto-hydrodynamic drawing of narrow strips 733
M.R. Stokes, G.R. Symmons (Sheffield, UK)

Mechanical properties of aluminium metal matrix composites under impact loading 743
A.M.S. Hamouda, M.S.J. Hashmi (Dublin, Ireland)

Widening the market for advanced PVD coatings 757
A. Mathews, A. Leyland, P. Stevenson (Hull, UK)

Estimation of thermal-deformation in machine tools using neural network technique 765
M. Hattori. N. Noguchi, S. Ito, T. Suto, H. Inoue (Tsukuba, Ibaraki, Japan)

Polycrystalline diamond edge quality and surface integrity following electrical discharge grinding 773
T.B. Thoe, D.K. Aspinwall, M.L.H. Wise, I.A. Oxley (Birmingham, UK)

Cutting fluids: Part I. Characterisation 786
M.A. El Baradie (Dublin, Ireland)

Cutting fluids: Part II. Recycling and clean machining 798
M.A. El Baradie (Dublin, Ireland)

Polymer blend under shear flow: a thermodynamic study 807
M.L. Fernandez, J.S. Higgins, S.M. Richardson (London, UK)

On the use of the upper-bound method for load determination in H-beam rolling 820
W. Zhang, C. Zhu (Qinhuangdao, China), G.E.O. Widera (Milwaukee, WI, USA)

The effect of nitrogen on the precipitation behaviour of Nb(C,N) in continuously-cooled low-carbon structural steels..... 834
M.A. Bepari (Dhaka, Bangladesh), J.A. Whiteman (Sheffield, UK)

Modelling the impact and penetration events of modern engineering materials: characteristics of computer codes and material models..... 847
A.M.S. Hamouda, M.S.J. Hashmi (Dublin, Ireland)

Effectiveness of isotope depleted ZnO to minimize radiation build-up in boiling water nuclear reactors..... 863
R. Puyané (Dundalk, Ireland)

The prototype of an expert system for the selection of high-speed steels for cutting tools..... 873
L. A. Dobrzanski, J. Madejski, W. Malina, W. Sitek (Gliwice, Poland)

Application of a multivariable Simplex data analysis system for welding engineers..... 882
N. Bruce, S.G.R. Brown, J.D. Parker (Swansea, UK)

Rate-controlled shrinkage of ZnO varistors..... 891
A. Al-Tounsi (Damascus, Syria), R. Puyané (Dundalk, Ireland), M.S.J. Hashmi (Dublin, Ireland)

Hot deformation studies on a low-carbon steel: Part 1 - Flow curves and the constitutive relationship..... 897
K.P. Rao, Y.K.D.V. Prasad (Kowloon, Hong Kong), E.B. Hawbolt (Vancouver, BC, Canada)

Hot deformation studies on a low-carbon steel: Part 2 - An algorithm for the flow stress determination under varying process conditions..... 908
K.P. Rao, Y.K.D.V. Prasad (Kowloon, Hong Kong), E.B. Hawbolt (Vancouver, BC, Canada)

Finite element determination of workability limits for disks and rings under different upsetting conditions..... 918
A.S. Wifi, A. Abdel-Hamid, H. El-Monayri, N. El-Abbasi (Cairo, Egypt)

The structure and properties of W–V high-speed steels with increased content of silicon..... 933
L.A. Dobrzanski (Gliwice, Poland)

Temperature distribution in a cylindrical Al_2O_3–steel joint during the vacuum brazing cycle..... 945
D. Golanski (Warsaw, Poland)

PAS (plasma activated sintering): transient sintering process control for rapid consolidation of powders..... 955
K. Yamazaki, S.H. Risbud (Davis, CA, USA), H. Aoyoma (Tomakomai, Japan), K. Shoda (Yokohama, Japan)

Machinability of aluminum alloys reinforced with silicon carbide particulates..... 966
N.P. Hung, F.Y.C. Boey, K.A. Khor, Y.S. Phua, H.F. Lee (Nanyang, Singapore)

Mechanics and mechanisms of toughening of advanced ceramics..... 978
S.A. Meguid (Toronto, Canada)

The publisher encourages the submission of articles in electronic form thus saving time , avoiding rekeying errors.
A leaflet descriging our requirements is available from the publisher upon request.